

### Vibrateurs externes électriques

## NEG - 3000 t/min

**400V-50Hz-Tri / 220V-50Hz-MONO**



*(photo non contractuelle)*

### Triphasés

	FC kgs		Puissance abs. Max. (W)		Tension (A)	
	50 Hz	60 Hz	50 Hz	60 Hz	50 Hz / 400v	60 Hz / 460v
NEG 10/3	121	174	180	180	0.35	0.30
NEG 20/3	211	218	180	180	0.35	0.30
NEG 30/3	304	297	260	270	0.60	0.50
NEG 50/3	503	471	450	500	0.80	0.75
NEG 70/3	734	-	450	-	0.8	-
NEG 80/3	785	754	650	685	1.10	1.00
NEG 110/3	1105	1061	1000	1200	1.75	1.75
NEG 130/3	1290	1327	1300	1350	2.10	1.90
NEG 150/3	1470	1595	1300	1350	2.10	1.90
NEG 160/3	1545	1483	1400	1450	2.30	2.00
NEG 180/3	1802	1853	2000	2000	3.30	2.90
NEG 205/3	2059	1853	2200	2200	3.50	3.00
NEG 231/3	2316	2224	2200	2200	3.50	3.00
NEG 320/3	3457	3112	4000	4000	6.50	5.60
NEG 400/3	3890	3735	4000	4000	6.50	5.60

### Monophasés

	FC kgs		Puissance abs. Max. (W)		Tension (A)	
	50 Hz	60 Hz	50 Hz	60 Hz	50 Hz / 220v	60 Hz / 115v
NEG 10/3	121	174	165	165	0.75	1.52
NEG 20/3	211	218	165	165	0.75	1.52
NEG 30/3	304	297	280	280	1.25	2.40
NEG 50/3	503	471	500	500	2.30	4.50
NEG 70/3	734	-	500	-	2.30	-
NEG 80/3	785	754	700	750	3.25	7.00

	A	B	C	D	E	F	G Diam. N°		H	I	L	M	N	Poids (kg)
NEG 10/3	211	153	125	62- 74**	106	24	9	4	61	46	103	100	117	5.6
<i>condensateur pour version MONO : 10µF à 220V/50Hz - 28µF à 115V/60HZ</i>														
NEG 20/3	235	153	125	62- 74**	106	24	9	4	61	58	103	100	117	6.4
<i>condensateur pour version MONO : 10µF à 220V/50Hz - 28µF à 115V/60HZ</i>														
NEG 30/3	255	179	152	90	125	28	13	4	73	54	127	128	141	9.7
<i>condensateur pour version MONO : 16µF à 220V/50Hz - 25µF à 115V/60HZ</i>														
NEG 50/3	288	203	167	105	140	30	13	4	82.5	65	145	140	160	14.8
<i>condensateur pour version MONO : 12.5µF à 220V/50Hz - 50µF à 115V/60HZ</i>														
NEG 70/3	288	203	167	105	140	30	13	4	82.5	65	145	140	160	15.1
<i>condensateur pour version MONO : 12.5µF à 220V/50Hz</i>														
NEG 80/3	308	216	205	120	170	45	17	4	93.5	63	170	160	182	21.0
<i>condensateur pour version MONO : 25µF à 220V/50Hz - 90µF à 115V/60HZ</i>														
NEG 110/3	435	225	205	120	170	54	17	4	104.5	117.50	187	162	203	23.0
NEG 130/3	375	216.5	215	100	180	47	17	4	93.5	106	170	145	182	27.0
NEG 150/3	375	216.5	215	100	180	47	17	4	93.5	106	170	145	182	25.3
NEG 160/3	430	246	230	140	190	54	17	4	116	99	207	190	225	33.0
NEG 180/3	430	246	230	140	190	54	17	4	116	99	207	190	225	34.0
NEG 205/3	465	230	230	140	190	49	17	4	104	105	186	180	200	48.7
NEG 231/3	465	230	230	140	190	49	17	4	104	105	186	180	200	49.6

NEG 320/3	560	290	310	155	255	90	25	4	130	137	238	210	253	94.0
NEG 400/3	560	290	310	155	255	90	25	4	130	137	238	210	253	96.0

Fig. A

